

附 錄

德裕山의 거미

南宮煥

筆者는 1968年 9月 11日～14日의 4日間에 걸쳐 茂朱 九千洞을 中心으로 하여隣接한 球周之峰, 雪川, 白蓮寺等, 德裕山一部 地域을 調査한 바 있다.

莊重한 山勢를 갖는 德裕山 上層部에 對한 調査가 이룩되지 못하였으므로 그 蜘蛛相을 살필 段階가 못되지만, 이 地帶에 對한 調査記錄이 거의 없는 現況에 비추어 分布資料의 一部로서 調査結果를 報告하고자 한다.

(1) 이번 調査資料를 整理한 結果로 德裕山 蜘蛛 20科, 60屬, 95種(2未確定種 包含)을 確認할 수 있었고, 그 중에서 7종은 韓國未記錄種이다. (目錄에 ※표시)

(2) 이번 調査의 結果만으로 德裕山 거미相을 살펴보면, 北方大陸種이 17種(18.2%), 南方東洋種이 6種(6.5%), 世界共通種이 2種(2.2%)이며, 其他 北部溫帶種이 68種(73.1%)으로되어 大陸系의 傾向이 짙다.

(3) 目錄에 쓰인 略記號.

[Pal.]……舊北系. [Hol.]……全北系. [Or.]……東洋系. [Cos.]……汎世界系

目 錄 : A list of spiders from Mt. Deog-yoo-san

Uloboridae 응달거미科

- | | | |
|--|--------|----------|
| 1. <i>Hyptiotes affinis</i> Boes. et STR. | 부체거미 | 球周之峰 |
| 2. <i>Uloborus sybotides</i> Boes. et STR. | 꼽추응달거미 | 九千洞, 白蓮寺 |

Dictynidae 잎거미科

- | | | |
|---------------------------------------|-----|----|
| 3. <i>Dictyna felis</i> Boes. et STR. | 잎거미 | 雪川 |
|---------------------------------------|-----|----|

Amaurobiidae 뒤탈거미科

- | | | |
|------------------------------------|--------|------|
| 4. <i>Amaurobius koreanus</i> PAIK | 반도비탈거미 | 球周之峰 |
|------------------------------------|--------|------|

Pholcidae 유령거미科

茂朱九千洞 綜合學術調查報告書

- | | | |
|--|--------|-------------|
| 5. <i>Pholcus crypticolens</i> Boes. et STR. | 산유령거미 | 九千洞, 白蓮寺 |
| 6. <i>Pholcus opilionoides</i> (SCHRANK) | 대록유령거미 | 珉周之峰 [Pal.] |

Theridiidae 꼬마거미科

- | | | |
|--|-----------|------------|
| 7. <i>Anelosimus crassipes</i> (BOES. et STR.) | 잎무늬꼬마거미 | 雪川, 九千洞 |
| 8. <i>Chryssota punctifera</i> (YAGINUMA) | 별연두꼬마거미 | 九千洞, 白蓮寺 |
| 9. <i>Dipoena castrata</i> BOES. et STRI. | 검정미진거미 | 白蓮寺 |
| 10. <i>Dipoena mustelina</i> (SIMON) | 개꼬마거미 | 白蓮寺 |
| ※11. <i>Rhomphaea sagana</i> (DOEN. et STR.) | 창거미 | 九千洞 |
| 12. <i>Theridion chikunii</i> YAGINUMA | 찰비꼬마거미 | 九千洞 |
| 13. <i>Theridion japonicum</i> BOES. et STR. | 검박이꼬마거미 | 白蓮寺 |
| 14. <i>Theridion rapulum</i> YAGINUMA | 삼각절꼬마거미 | 白蓮寺 |
| 15. <i>Theridion tepidariorum</i> C. KOCH | 말꼬마거미 | 九千洞 [Cos.] |
| ※16. <i>Theridula</i> sp. | 꼬마거미부치 1種 | 九千洞 |

Linyphiidae 접시거미科

- | | | |
|---|---------|-------------------|
| 17. <i>Leptophantes nasus</i> PAIK | 코접시거미 | 白蓮寺 |
| 18. <i>Neolinyphia japonica</i> OI | 가시접시거미 | 九千洞 |
| 19. <i>Neolinyphia nigripectoris</i> OI | 검정접시거미 | 九千洞, 白蓮寺 |
| 20. <i>Prolinyphia emphana</i> (WALCKENAER) | 대록접시거미 | 珉周之峰 [Pal.] |
| 21. <i>Prolinyphia limbatinella</i> (BOES. et STR.) | 쌍줄접시거미 | 珉周之峰, 九千洞, 白蓮寺 |
| 22. <i>Prolinyphia longipedella</i> (BOES. et STR.) | 농발접시거미 | 九千洞, 白蓮寺 |
| 23. <i>Prolinyphia marginata</i> (C. KOCH) | 태두리접시거미 | 珉周之峰, 白蓮寺, [Hol.] |

Micryphantidae 애접시거미科

- | | | |
|---|-----------|------------------|
| ※24. <i>Erigonidium graminicola</i> (SUNDEVALL) | 혹갈풀애접시거미 | 珉周之峰, 九千洞 [Pal.] |
| ※25. <i>Gonatium opimum</i> OI | 가시다리애접시거미 | 九千洞, 白蓮寺 |
| ※26. <i>Strandella</i> sp. | 혹접시거미 1種 | 九千洞, 白蓮寺 |

Mimetidae 해방거미科

- | | | |
|---------------------------------------|-------|-----|
| 27. <i>Ero japonica</i> BOES. et STR. | 뿔해방거미 | 白蓮寺 |
| 28. <i>Mimetus testaceus</i> YAGINUMA | 큰해방거미 | 白蓮寺 |

Argiopidae 호랑거미科

- | | | |
|---|-------|----------|
| 29. <i>Araneus cornutus</i> CLERCK | 기생왕거미 | 九千洞 |
| 30. <i>Araneus fuscocoloratus</i> BFES. et STR. | 벽왕거미 | 九千洞, 白蓮寺 |
| 31. <i>Araneus ishikawai</i> KISHIDA | 부석왕거미 | 珉周之峰 |

德裕山의 거미

32. <i>Araneus lugubris</i> (WALCKENER)	적 갈왕거미	白蓮寺 [Or.]
33. <i>Araneus mitificus</i> (SIMON)	미녀왕거미	白蓮寺 [Or.]
34. <i>Araneus ventricosus</i> (L. KOCH)	산왕거미	九千洞, 白蓮寺
35. <i>Argiope bruennichii</i> (SCOPOLI)	긴호랑거미	雪川, 九千洞 [Pal.]
36. <i>Cyclosa ginnaga</i> YAGINUMA	장은먼지거미	珉周之峰
37. <i>Cyclosa japonica</i> BOES. et STR.	복먼지거미	白蓮寺
38. <i>Cyclosa octotuberculata</i> KARSCH	여덟혹먼지거미	珉周之峰, 雪川
39. <i>Cyclosa sedeculata</i> KARSCH	네혹먼지거미	九千洞, 白蓮寺
40. <i>Cyclosa vallata</i> KEYSRLING	녹두먼지거미	珉周之峰, 雪川 [Or.]
41. <i>Cyrtarachne inaequalis</i> THORELL	큰새풀거미	九千洞 [Or.]
※42. <i>Mangora herbeoides</i> (BOES. et STR.)	귀털왕거미	白蓮寺
43. <i>Meta kompirensis</i> BOES. et STR.	병무늬왕거미	九千洞
44. <i>Meta reticuloides</i> YAGINUMA	민무늬왕거미	九千洞
45. <i>Meta yunohamensis</i> BOES. et STR.	안경무늬왕거미	九千洞, 白蓮寺
46. <i>Neoscona doenitzi</i> (BOES. et STR.)	들어리왕거미	珉周之峰, 雪川
47. <i>Neoscona mellotteei</i> (SIMON)	점연두어리왕거미	珉周之峰, 九千洞
48. <i>Neoscona scylla</i> (KARSCH)	지이어리왕거미	珉周之峰, 九千洞, 白蓮寺
49. <i>Neoscona scylloides</i> (BOES. et STR.)	연두어리왕거미	九千洞
50. <i>Nephila clavata</i> L. KOCH	무당거미	珉周之峰, 雪川, 九千洞 [Or.]
51. <i>Pronous minutus</i> (SAITO)	콩왕거미부치	白蓮寺
52. <i>Singa sanguinea</i> C. KOCH	산자애왕거미	白蓮寺 [Pal.]
53. <i>Zilla sachalinensis</i> (SAITO)	복왕거미	白蓮寺

Teragnathidae 갈거미科

54. <i>Dyschiriognatha tenera</i> (KARSCH)	애가랑갈거미	白蓮寺
55. <i>Leucauge subblanda</i> BOES. et STR.	꼬마백금거미	九千洞, 白蓮寺
56. <i>Leucauge subgemmea</i> BOES. et STR.	검정백금거미	珉周之峰, 九千洞
57. <i>Menosira ornata</i> CHIKUNI	가시다리거미	九千洞
58. <i>Tetragnatha caudicula</i> (KARSCH)	꼬리갈거미	雪川
※59. <i>Tetragnatha extensa</i> (LINNE)	큰배갈거미	雪川 [Hol.]
60. <i>Tetragnatha japonica</i> BOES. et STR.	민갈거미	雪川, 九千洞
61. <i>Tetragriatha Praedonia</i> L. KOCH	장수갈거미	珉周之峰, 九千洞
62. <i>Tetragnatha squamata</i> (KARSCH)	비늘갈거미	雪川, 九千洞

Urocteidae 남거미科

63. *Uroctea limbata* C. KOCH 남거미 雪川

Pisauridae 단거미科

64. *Dolomedes raptor* BOES. et STR. 벽단거미 白蓮寺
 65. *Dolomedes sulfureus* L. KOCH 황단거미 琵周之峰, 九千洞
 66. *Pisaura lama* BOES. et STR. 늘서성거미 雪川, 九千洞, 白蓮寺

Oxyopidae 스라소니거미科

67. *Oxyopes Roreanus* PAIK 분스라소니거미 琵周之峰, 雪川

Agelenidae 가게거미科

68. *Ageleena Roreana* PAIK 고려풀거미 九千洞, 白蓮寺
 69. *Agelena limbata* THORELL 들풀거미 雪川, 九千洞
 70. *Ageleena opulenta* L. KOCH 애풀거미 琵周之峰, 雪川, 九千洞
 71. *Coelotes songminjae* PAIK et YAGINUMA 민자가게거미 琵周之峰, 九千洞
 72. *Tegenaria domestica* (CLERCK) 집가게거미 雪川 [Cos.]

Lycosidae 늑대거미科

73. *Pardosa asrigera* L. KOCH 별늑대거미 琵周之峰
 74. *Pardosa lugubris* (WALCKENAER) 흰표늑대거미 琵周之峰 [Pal.]
 75. *Piraticus* (CLERCK) 늘산적거미 九千洞, 白蓮寺 [Hol.]

Thomisidae 게거미科

76. *Misumenops japonicus* (BOES. et. STR.) 각시꽃게거미 九千洞
 77. *Misumenops tricuspidatus* (FABRICIUS) 꽃게거미 琵周之峰, 雪川 [Pal.]
 78. *Oxytate striatipes* L. KOCH 출연두개거미 九千洞, 白蓮寺
 79. *Philodromus cespitum* (WALCKENAER) 흰새우개거미 雪川 [Pal.]
 80. *Synaema agjobosum japonicum* KARSCH 불자개거미 雪川 [Pal.]
 81. *Synaema takashimai* (UYEMURA) 남궁개거미 白蓮寺
 82. *Thanatus formicinus* (CLERCK) 창개거미 琵周之峰 [Hol.]
 83. *Tibellus tenellus* (L. KOCH) 녹점가재거미 白蓮寺
 84. *Tmarus piger* (WALCKENAER) 범개거미 琵周之峰, 九千洞 [Pal.]
 85. *Xysticus* Fox 풀개거미 雪川, 九千洞; 白蓮寺

Salticidae 깡충거미科

86. *Carrhotus detritus* BOES. et STR. 텔보깡충거미 九千洞, 白蓮寺
 87. *Evarcha albaria* (L. KOCH) 흰눈썹깡충거미 白蓮寺

德裕山의 거미

88. <i>Jotus difficilis</i> BBES. et STR.	점눈깡충거미	雪川, 九千洞
89. <i>Marpissa elongata</i> (KARSCH)	찰깃깡충거미	雪川, 白蓮寺
90. <i>Marpissa maglster</i> (KARSCH)	수점은깡충거미	雪川, 九千洞
91. <i>Rhene atrata</i> (KARSCH)	까치깡충거미	九千洞, 白蓮寺

Cubionidae 염남거미科

92. <i>Chiracanthium japonicum</i> BOES. et STR.	애어리염남거미	雪川, 九千洞
93. <i>Clubiona japonicola</i> BOES. et STR.	노랑염남거미	雪川

Heteropodidae 농발거미科

94. <i>Micrommata voseum</i> (CLERCK)	이슬거미	白蓮寺
---------------------------------------	------	-----

Ctenidae 너구리거미科

95. <i>Anahita fauna</i> KARSCH	너구리거미	珉周之峰 [Pal.]
---------------------------------	-------	-------------

Spiders from Mt. Deogyoo-san, Korea

by Joon Namkung

- 1) In this paper, the author reports on 95 species of spiders, belonging to 20 families, which had been collected during September 11-4, 1968, at Mt. Deog-yoo san, Cholla-bugdo, Korea
- 2) The followings are recorded newly from Korea.
 - (1) *Rhomphaea sagana* (Doen, et Str. 1906)
 - (2) *Theridula* sp.
 - (3) *Erigonidium graminicola* (Sundevall, 1829)
 - (4) *Gonatium opimum* OI, 1960
 - (5) *Strandella* sp.
 - (6) *Mangora herbeoides* (Boes. et Str. 1906)
 - (7) *Tetagnatha extensa* (Linne, 1758)

茂朱九千洞 綜合學術調查報告書

3) Although these materials are not sufficient for general discussion of the fauna of Mt. Deog-yoo-san, an outline of the distribution of spiders can be summarized as follow:

17 northern species (18.2%)

6 southern species (6.5%)

2 cosmopolitan species (2.2%)

68 palaearctic temperate species (73.1%)